ADAPT 200

Series


If work means calls via multiple devices, choose a wireless headset that fits with your dynamic working style in the hybrid workplace. Lightweight, portable and wireless, this flexible audio companion keeps you at peak performance.












What's in the Box



How to Use the ADAPT 200



Turning the headset on/off




Turns the headset on




Turns the headset off

Accept/hold and reject/end a call



Accept/hold a call



Reject/end a call





Ends a call

Additional benefits & features



Up to 27 hours battery life

Reliable performance wherever and however you work



Jump straight into Teams meetings

Via dedicated Microsoft Teams button



Optimal call clarity

With noise-cancelling microphone to filter out ambient noise



Enjoy EPOS Voice™ technology

For a more natural listening experience



Get a personalized fit

With an adjustable, flexible headband



Avoid acoustic shock on calls

With EPOS ActiveGard® technology



Smart noise limiter

Enable noise limitation according to European and Australian standards via EPOS Connect

Product data

General		
Wearing style	On-ear, single or double-sided headband	
Headset weight	Single-sided, leatherette earpads 80.9 g / 2.8 oz Double-sided, leatherette earpads 120.7 g / 4.3 oz	
Connectivity	Bluetooth® 5.0, USB cable with USB-C connector	
Warranty	2 years	
Audio		
Speaker frequency response	20-20,000 Hz	
Microphone type	Noise-cancelling microphone for optimal speech transmission	
Microphone frequency response	100-8,000 Hz	
Technical		
Charging time	2 hours	
Standby time	300 hours	
Battery time	Up to 27 hours	
Range	Up to 25 m / 82 ft	

Product data

Products variants	What's in the box	
ADAPT 260	Headset, BTD 800 USB dongle, USB cable USB-C connector, carry pouch, compliance sheet, quick guide, safety guide	
ADAPT 261, ADAPT 231	Headset, BTD 800 USB-C dongle, USB cable USB-C connector, carry pouch, compliance sheet, quick guide, safety guide	
Software		
EPOS devices can be managed with following Software solutions:		
EPOS Connect	Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/Thin client environments: eposaudio.com/software-epos-connect	
EPOS Manager	Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager	

Product data

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 260 Art. no. 1000882	Smartphone/PC Mobile devices	Optimized for UC and certified for Microsoft Teams*, Zoom, Google Meet, Webex by Cisco and Works With Chromebook	57 14708 00684 8	8 40064 40684 0
ADAPT 261 Art. no. 1000897	Smartphone/PC Mobile devices	Optimized for UC and certified for Microsoft Teams*, Zoom, Google Meet, Webex by Cisco and Works With Chromebook	57 14708 00683 1	8 40064 40683 3
ADAPT 231 Art. no. 1000896	Smartphone/PC Mobile devices	Optimized for UC and certified for Microsoft Teams*, Zoom, Google Meet, Webex by Cisco and Works With Chromebook	57 14708 00697 8	8 40064 40697 O

^{*} Microsoft Teams certification applies when USB/USB-C dongle or cable is connected to PC or Mac.

Spare parts

Product	Art. no.	Description	EAN code	UPC code
USB cable	1000211	USB-C to USB-A cable. Cable length 1.2 meter.	EAN: 57 14708 00012 9	8 40064 40012 1
USB cable	1000304	USB-C to USB-C cable. Cable length 1.5 meter.	EAN: 57 14708 00105 8	8 40064 40105 0
BTD 800 USB-A dongle	1001148	Connect compatible EPOS Bluetooth® audio devices quickly and easily to your PC or Mac.	EAN: 57 14708 00950 4	8 40064 40950 6
BTD 800 USB-C dongle	1000206	Connect compatible EPOS Bluetooth® audio device quickly and easily to your PC or Mac and tablet.	EAN: 57 14708 00007 5	8 40064 40007 7
Earpads	1000880	Spare earpads in black leatherette.	EAN: 57 14708 00682 4	8 40064 40682 6

Appendix

1/1

Additional product data

Color	Black
EPOS Voice™ Technology	For a clear and natural listening experience
Sound pressure level (SPL)	Max. 115 dB - Limited by EPOS ActiveGard® technology
Sound enhancement profiles	Automatically adapt and optimize sound for both communication and multimedia
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work Limiter*	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday

^{*}In compliance with EU Noise at Work legislation (Directive 2003/10/EC)